
U.S. ANNIBERTANTES (ONYMANI)

Tearl Weiningth, Wix Hisay



ARCHIVE COPY

THE CONTRACT OF THE PROPERTY O

SELECTIVE DISSEMINATION OF INFORMATION (SEDIE)

LOCTOBUR 1986





INTRODUCTION

SELECTIVE DISSEMINATION OF INFORMATION (SDI)

Under the NAPALM Program, the U. S. Army Electronics Command has been assigned subproponency for the STINFO project, "Selective Dissemination of Information." The purpose of the project is to develop a standard SDI computer program for use by AMC commands, installations and activities in servicing the scientific and technical information needs of their scientists and engineers on an individualized, current awareness basis in support of the overall RDTE program.

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

SYSTEM NARRATIVE

The SDI system will provide a computer capability for screening semi-monthly approximately 3,000 new technical reports generated by DOD agencies and their contractors and selectively disseminating pertinent documents to individual scientists and engineers on the basis of their specified technical interests.

The system is designed to maintain a high level of scientific current awareness among technical personnel with a minimum of effort on the part of the individual, and a minimum drain on his productive time. It is aimed at achieving maximum application of external scientific achievements pertinent to command projects and to reduce duplication of scientific work.

Scientific and technical personnel engaged in RDTE are profiled to obtain a list of approximately 20 descriptors that depict each subscriber's primary technical interests. The profile may be representative of a subtask, a group of individuals with common technical interests, or of an individual. The profiles of subscribers are entered on a master profile tape.

The document input to the system consists of the document accessions of the Defense Documentation Center (DDC), announced semi-monthly in the DDC Technical Abstract Bulletin. The print-out tape for the bulletin is acquired from DDC for use in the SDI system.

Semi-monthly, the master profile tape of user descriptors is matched against the document descriptor tape supplied by DDC, both tapes being in the same descriptor language. Abstracts of documents whose primary index terms match those of a subscriber are printed out as a "Selected Abstract Listing" for each subscriber. This listing notifies a subscriber of new documents pertinent to his specified interests, and provides for his ordering of the announced documents by listing the document numbers and returning the order sheet to the computer processing unit. Hard copies of documents are ordered from DDC and forwarded to the subscriber by mail.


Feedback data consists of a cumulative tally of document referrals and document orders for each descriptor in a subscriber's profile. Periodically, a profile descriptor activity print—out is sent to each subscriber for possible revision of his profile.

Best Available Copy


STATUS

Computer programming for the SDI system has been completed and debugged. Initial operational runs with 50 subscribers are underway to evaluate the effectiveness of the matching technique, check the descriptor activity of user profiles, and generally prove out the system before adding large increments of subscribers.

SYSTEM CONCEPT



SYSTEM CONCEPT



RESULTS FROM PILOT RUN

CHECKOUT OF SYSTEM ON SEMI-AUTOMATED BASIS

LENGTH OF TIME IN OPERATION : 18 MONTHS

NUMBER OF SUBSCRIBERS : 82

PRODUCTS: 4,000 SELECTED ABSTRACTS PER MONTH 450 DOCUMENTS ORDERED FROM DDC PER MONTH

STATISTICS :

AVERAGE NUMBER OF ABSTRACTS PER BOOKLET:25


AVERAGE NUMBER OF INTEREST : 40 %

AVERAGE NUMBER ORDERED : 15 %

PERCENTAGE INCREASE IN USE OF DDC OVER PRIOR 18 MONTHS: 400 %

| The Andrew A

Ė



SDI PROGRAM NARRATIVE

- RUN 1 The document acquisition tape received from DDC is reformatted into a tape containing document descriptors and applicable document numbers and another containing abstracts and bibliographic data for each document.
- RUN 2 The user descriptor tape, a master file of all descriptors listed in subscribers' profiles, is updated to reflect changes, deletions and additions. The user header tape (updated in Run 8 with TTD data on abstracts per descriptor) is further updated to add or delete subscribers and enter YTD data on document orders per descriptor. As required, a print-out is generated listing users per descriptor.
- RUN 3 Using DDC's master descriptor tape, containing all terms in its thesaurus, a validation run is made against the SDI user descriptor tape to ensure complete identity of vocabulary for the matching run. A print-out of non-identical descriptors is generated and, as required, a print-out listing descriptors per user.
- The user descriptor and document descriptor tapes are matched on descriptor fields. When an equal condition occurs, an output record is generated on tape containing the descriptor, document number, user number, asterisk flag and negative flag. The asterisk flag denotes that the descriptor's use for this particular document was in a primary capacity. The negative flag denotes that the descriptor's use for this particular user was to reject documents using this descriptor.
- RUN 5 The matched descriptor tape is edited to eliminate multiple referral of the same document to a user and to reject records containing a negative flag. The edited matched descriptor tape is sorted on document numbers.
- RUN 6 The abstract tape created from the DDC tape in Run 1 and the edited matched descriptor tape are compared on document number. When an equal condition occurs, an output tape record is generated containing the document abstract, associated bib data, and the user number.
- RUN 7 The tape generated in Run 6 is sorted in user order.
- RUN 8 The abstract tape in user order and the user header tape are used as input for print-out of selected abstracts per user. The user header is updated with YTD data on abstracts per descriptor per user.

- RUN 9 The matched descriptor tape created in Run 4 and the user header tape updated in Run 8 are used as input to create two user statistics reports: (1) Number of hits for each descriptor in each user's profile, and (2) The number of abstracts sent to each user.
- RUN 10 Hit tape is sorted to provide a listing of the hits scored by each descriptor.

APPENDIX

TO: TECH INFO DIVISION AMSEL-10-T HEXAGON



(PLEASE LIMIT TO 4)

	PLEASE PRINT	
	Name JOHN CHARLTON (11-40	•
	Phone Ext. 57/785 (42-5)	,
	Mail Symbol AMSEL-KL-EM (MAI)
SOCIAL SECURITY NO. 151-24-1	725 (1-9)	
PRIMARY SUBTASK NO. 166 - 343/2	?-1>123-05	
(10-49)	DESCRIPTORS	
ANTIRADAR - COATING	S FERRITES	_
ACOUSTICS	PARICLES	
ANISOTROPY	FERROHAGNETIC-MATERIA	LS
CRYSTAL-GROWTH	MAGNETIC - HATER: ALS	
CRISTAL-LATTICE - DEF		_
CRYSTALS	CERAMIC-MATERIALS	Pag 1
GRAIN-BOUNDARIES	ELECTRO ACOUSTIC - TRANSDUC	
PHONONS	PAPAHAGNETIC- MATERIAL	
SINGLE-CRYSTALS		
MAGNETIC - PROPERTIE	~ <	
		-
PERMEABILITY (MAGNE		Prince
HUSS BAUER - EFFELT	(PLEASE LIMIT TO 24)	
(10-49)		
SONAR (11 m 79) N	EGATIVE TERMS	
SOINTIO	ELEHENTARY-PARTICLES	ا لنت
UNDERWATER - SOUN	D	

SAMPLE COVER SHEET

1. TO: JOHN CHARLTON AMSEL-KL-EM

2. TO: TECH INFO DIV AMSEL-IO-T HEXAGON

SDI SELECTED ABSTRACTS

TO ORDER HARD COPIES OF ANY OF THE DOCUMENTS ANNOUNCED IN THIS BOOKLET, MERELY LIST THE "AD" DOCUMENT NUMBERS BELOW AND RETURN THIS COVER SHEET TO TECH INFO DIV.

SSN: 151-24-1725

EXT. 51585

ABSTRACT PRINTOUT

DOCUMENT NUMBERI

635579

TITLE

INFRARED SPECTRA OF MOLECULAR CRYSTALS

BY :

DOWS, DAVID A. JAUDERMANN, G. FRURENSTEIN, L. JRICH, N.

FINAL TECHNICAL REPT.

SOURCEL

UNIVERSITY OF SOUTHERN CALIFORNIA LOS ANGELES

DESCRIPTORSI

(*INFRARED SPECTROSCOPY, *CRYSTALS), REFLECTION, ABSORPTION SPECTRUM, INTENSITY, MOLECULAR ASSOCIATION, CRYSTAL LATTICES, PHASE STUDIES, CRYSTAL STRUCTURE, MOLECULAR STRUCTURE, POLYCYCLIC COMPOUNDS

ABSTFACT:

STUDIES WERE CARRIED OUT TO CHARACTERIZE AND EXPLAIN THE TO NFRARED ABSORPTION AND REFLECTANCE SPECTRA OF MOLECULAR CR-YSTALS. ACCURATE METHODS OF MEASURING REFLECTANCE SPECTRA AND OF PROCESSING THE DATA TO OBTAIN OPTICAL CONSTANTS WERE DE-VELOPED AND APPLIED TO SODIUM CHLORATE. ABSOLUTE INFRARED ABSORPTION INTENSITIES HERE MEASURED FOR ETHYLENES, MENZENES. ACETYLENE AND ETHANE. THEORETICAL STUDIES OF CRYSTAL SPLI-TTING AND LATTICE FREQUENCIES IN BENZENE HAVE PROVIDED DATA CONCERNING INTERMOLECULAR FORCES IN THIS CRYSTAL SPLITTING OF UNGERADE VIBRATIONS, AND PROVIDE THE RESTORING FORCE FOR T-ORSIONAL LATTICE MOTION. PHASE CHANGES IN ADAMANTANE, CYC+ LOMEXANE AND HEXAMETHYLBENZENE WERE STUDIED. SPECTROSCOPI-CALLY OBSERVABLE CHANGES OCCURING AT THE PHASE TRANSITION TEMPERATURE YIELD INFORMATION CONCERNING THE WILLECULAR MITTONS. CRYSTAL SPECTRA WERE USED TO AID IN VIRRATIONAL ASSIGNMENT OF HYDRAZDIC ACID AND CYCLOHEXANE. THE UNIQUE PROPERTIES OF THE CRYSTAL SPECTRUM WERE OF CRITICAL VALUE IN EACH CASE. (AUTHOR)


SAMPLE ANALYSIS REPORTS	SAMPLE	ANALYSIS	REPORTS
-------------------------	--------	----------	---------

			m				~		Μ		19		10
			н		H		н		u				*
	P0s 9ESC+	p4 ym 64	m		-	gen gen	^	r ←	m	r-ma-maa	4	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	¢ 2
ر <u>-</u>			+		+		+		+		+		•
=	NEG USE		ø		0		٥		٥		0		•
ATTSTECAL ANALYSES	,		SUR-TOTAL		SUB-TOTAL		SUB-TOTAL		SUB-TOTAL		SUB-TOTAL	· ; !	SUB-TOTAL
SIINFOSTA	DESCRIPTOR	ATTENUATION PHOTOELECTRIC-PYROMETERS SPECTRUM-ANALYZERS		INFORMATION-RETRIEVAL		OAT&-STORAGE-SYSTEMS Information-retrieval		IMPUT-OUTPUT-DEVICES OPTICAL-SCANNING		ACOUSTICS CERMIC+MATERIALS CRYSTAL+GROWTH CRYSTALS FERRITES MUSSBAUER+EFFECT PARTICLES		DATA-PROCESSING-SYSTEMS DATA-SIGRAGE-SYSTEMS DISPLAY-SYSTEMS INFORMATION-RETRIEVAL INPUT-OUTPUT-DEFICES OPTICAL-EQUIPMENT OPTICAL-SCANNING	
DATE: 09-30-66	USER NUMBER	081-22-1119		089-16-3511		120*24*1822		149-24-2753		151-24-1725		171-01-6526	

	DATE: 09+30-66	STINFOSI	TATISTEC	SE ABBL	515 42		PASE	_
	USER WAME	BER MUMBER	40, 485.	NO. BOC.	T,T.D.		NO. DOC. DRDERED T.T.D.	
			•	•	•			
	ZEMD STANSWILD	300-00-000		•		0	0	
	JOHN STROZYK	Z900+00-000	4			0	٥	
	STAN DANKS	000-00-0003	**			0	a	
	DR, KURT IKRATH	600-00-000	**			0	۰	
	DE HELMUT BRUECKMANN	0300-00-000	*			0	0	
	RATHOND ROSS	1100-00-000	2			•	o	
	SEORGE SURRALL	2100-00-000	30			٥	o	
	SANDEL DIVITA	£100-00-000	\$; i		۵	0	
	HERSHEL STOUT	4100-00-000	٥			0	٥	
10	医口腔 计记录器 医电子管 医电子管 医电子管 医电子管 医电子管 医电子管 医电子管 医电子管	000-00-0012	8			Q	٥	
	DAMIEL ELDERS	\$100=00=000	f			Ö	0	
	MORTON EICHEL	2100-00-000	10			O	0	
	DR HANS K ZIEGLER	000-00-0018	**			•	٥	
	建筑的外型田 田田内の口口	6100-00-000	•			o	5	
	W L BOXET	0200-00-000	#	i		6	o	
	DR ERBIN BISER	1200-00-000	<u>16</u>			6	٥	
	DONALD O CURRY	\$200=00=005	E			ů	٥	
	STANLET HOMB JR	9200#00+000	16	1		ø	٥	
	KEN MAT	1200-00-090	r.	! !		•	0	
	JOE DE CLERK -	6200-00-000	\$		1	.	0	
	JOHN D HEILL	0600-00-000	13		Ì	۵	٥	
	BA COUARD GERBER	1200-00-000	21	i		ø	٥	

5ATE 09-27-66	STINES STATISTIC	3 - 4 - 5	0 & 7 & 3			3044
DESCI	DESCRIPTOR	DOCUMENT	WSER WUMBER	NEA USE	7 038 USE	MEG POS 1014(5
Data-processing-systems		AD-636-144	000-00-0012 171-01-6526 000-06-0027 334-28-7699	•	* * *	
		กร	SUB-TOTAL	4	M	4
DATA-STORAGE-SYSTEMS		AD-636-029	f62-22-7819 000-00-0012 120-24-1822 171-01-6526 334-28-7689	• •	• • • •	
		ρŞ	SUR-TOTAL	+ čv	H	40
DAIA-TRANSMISSIOM-SYSTEMS		AD-635-975	1220-00-009		•	
		38	\$U8-101AL	† ¢	# ***	= 4
DECISION-MAKING		AD=635=567 AD=635=567 AD=635=602 AD=635=602 AD=635=604 AD=635=674 AD=635=674 AD=635=674		******		
		45-434-175 SU	334=28-7689 \$UB-187AL	* *	•	٠

i .



*10-14 114-4